Index

IEE Proceedings
Electric Power Applications
Vol. 144, 1997

Author Index

A

Acarnley, P.P. p13, p301
Al-Badi, A.H. p446
Al-Tayie, J.K. p13, p301
Alexa, D. p207
Alexandrovitz, A. p235
Alolah, A.I. p456

B

Badr, M.A. p456
Baik, I.-C. p469
Bellomo, J.P. p191
Bhadra, S.N. p295
Burlikowski, W. p85
Butterworth, N. p357

C

Cai, Y. p74
Carter, J. p241
Case, S.H. p74
Celentano, G. p453
Chalmers, B.J. p446
Chan, T.W. p441
Chang, C.S. p65, p372
Chen, T.H. p415
Chiu, S.-L. p317
Cho, J.G. p343
Chung, S.-K. p469
Chunkag, V. p423
Condon, M. p77
Covino, M. p453
Cuey, Z.-J. p389
Czarnecki, L.S. p349

D

Dixon, J.W. p257
Donescu, V. p207
Dunnigan, M.W. p285
Dupre, L.R. p227

F

Feng, W.-S. p221
Ferreira, A.C. p111, p123
Feyzi, M.R. p271
Finney, S.J. p381
Forsyth, A.J. p131
Francis, C.J. p21
Fraser, M.E. p397
Fukuda, S. p95

G

Ghosh, B.C. p295
Goodman, C.J. p140, p241
Grant, D. p53
Green, A.M. p446

H

Hamouda, R.M. p456
Hanselman, D.C. p325
He, W.X. p441
Ho, T.K. p140
Ho, W.-J. p221
Ho, Y.K.E. p131
Howe, D. p277
Hsien, T.-L. p173
Hu, L. p409
Huang, K.C. p415

I

Irving, M.R. p74
Ishizaka, K. p6
Itoh, R. p6

J

Jokinen, T. p338

K

Kaku, B. p182
Karvelis, G.A. p401
Kim, K.-H. p469
Kolar, J.W. p169
Kuo, L.-C. p199

L

Lebey, T. p191
Lee, F.C. p343
Leonard, D.J. p77
Levi, E. p101
Liaw, C.M. p37, p415
Lin, F.-J. p199, p317
Lio, J.-B. p221
Lock, K.S. p372
Lovatt, H.C. p310

M

Manias, S.N. p401
Manning, C.D. p397
Mansell, A.D. p158
Mbaye, A. p191
McHale, T.P. p77
Melkebeek, J.A.A. p227
Mellor, P.H. p277
Mhango, L.M.C. p149
Miller, T.J.E. p61
Miyashita, I. p182

N

Nakaoka, M. p46
Neacsu, D.O. p207
Nedelchev, N. p215
Nishida, Y. p46
Norton, J.P. p140

O

Offringa, L.J.J. p331
Oguchi, K. p1
Oishi, H. p6
Ojo, O. p461
Okada, H. p6
Oraison, J.M. p191

P

Pagano, E. p453
Pan, C.-T. p389
Panov, Y. p343
Papadopoulos, M.P. p27
Papathanassiou, S.A. p27
Parker, A.M. p271
Pelikant, A. p435
Peltier, F. p191
Perryman, R. p149

R

Rabinovici, R. p61
Reece, A.B.J. p446
Robinson, F.V.P. p423

S

Saari, J. p338
Shen, J. p158, p357
Shieh, J.-J. p389
Sim, S.S. p65
Sone, S. p182
Spalek, D. p85
Stephenson, J.M. p310
Stoll, R.L. p263
Sun, Y.Y. p173

T

Taufiq, J.A. p158
Teo, C.Y. p441
Tsai, M.C. p173
Turowski, J. p435

V

Van der Veen, J.L.F. p331
Van Keer, R. p227
Vandenput, A.J.A. p331
Veas, D.R. p257

W

Wade, S. p285
Wallace, A.K. p111
Wang, F. p372
Wang, J.B. p37
Weinstock, D. p235
Wheeler, P. p53
Wilcox, D.J. p77
Williams, B.W. p285, p381
Williamson, S. p111, p123
Wu, Z. p461

X

Xia, Z.P. p277

Y

Yamada, T. p1
Yanchao Ji p249
Yongxuan Hu p249
Youn, M.-J. p469
Yu, J.G. p74

Z

Zach, F.C. p169
Zelaya, H. p241
Zelaya De La Parra, H. p21
Zhu, Z.O. p277
Zhuo Liu p249
Zuckerberger, A. p235

AEROSPACE SYSTEMS

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149

AMPLIFIERS

High-frequency switching-mode power amplifier for shaker armature excitation p415

CABLES AND OVERHEAD LINES

Influence of earth connection on the operation of railway track circuits p215
Phase co-ordinate approach to calculate earth-fault current and shock voltage p441

CLOSED LOOP SYSTEMS

Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301

COMPUTER APPLICATIONS

Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285
Optimising train movements through coast control using genetic algorithms p65
True average current predictive controller for four-wire PWM reversible rectifiers p397

CONTROL SYSTEM ANALYSIS

Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
H^∞ control for a sensorless permanent-magnet synchronous drive p173
High performance control of the series-parallel resonant converter p131
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
LQ control of sinusoidal current PWM rectifiers p95
Optimal traffic control at railway junctions p140
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

CONTROL SYSTEM SYNTHESIS

Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
H^∞ control for a sensorless permanent-magnet synchronous drive p173
High performance control of the series-parallel resonant converter p131
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
LQ control of sinusoidal current PWM rectifiers p95
Optimal traffic control at railway junctions p140
Optimising train movements through coast control using genetic algorithms p65
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

CONVERTORS

Analysis and design of a flyback zero-current switched quasiresonant AC/DC converter p401
Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149
Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Analytical solution to harmonic characteristics of traction PWM converters p158
Economic UPS structure with phase-controlled battery charger and input-power-factor improvement p221
Effects of flux level on a CSI-fed field-oriented induction motor p295
High-frequency switching-mode power amplifier for shaker armature excitation p415
High performance control of the series-parallel resonant converter p131
High power GTO thyristor chopper applications with passive snubber energy recovery p381
Losses in PWM converters using IGBTs: on the effect of bus-clamping on the distortion of the AC-side currents p169
LQ control of sinusoidal current PWM rectifiers p95
Modelling and design of a reversible three-phase switching mode rectifier p389
Novel 18-step diode rectifier circuit with nonisolated phase shifting transformers p1
Novel four-bridge PWM static VAr compensator p249
Open-loop VAr compensator for industrial applications, using a single PWM pattern p257
Optimised input filter design and low-loss switching techniques for a practical matrix converter p53
Parallel connection of single-switch three-phase power-factor correction converters for interleaved switching p423
Regenerative- and plug-braking operations of inverter-fed asynchronous motors p453
Sequence impedance and equivalent circuit of a converter system p409
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
Single-phase matrix converter p235
Single-phase step-up/down rectifier with improved supply current waveform p6
Switching loss minimised space vector PWM method for IGBT three-level inverter p182
Three-phase AC/single-phase AC converters with resonant circuits for high operating frequencies p207
True average current predictive controller for four-wire PWM reversible rectifiers p397
Zero-voltage-switching three-phase single-stage power factor correction convertor p343

DIELECTRIC MATERIALS AND DEVICES

Electrical stresses applied to stator insulation in low-voltage induction motors fed by PWM drives p191

DIGITAL ELECTRONICS

Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285

DISCRETE SYSTEMS

LQ control of sinusoidal current PWM rectifiers p95

EDDY CURRENTS

Simple computational model for calculating the unbalanced magnetic pull on a two-pole turbogenerator rotor due to eccentricity p263

ELECTROMAGNETIC COMPATIBILITY

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149

ELECTROMAGNETIC INTERFERENCE

Influence of earth connection on the operation of railway track circuits p215

ELECTROMAGNETIC THEORY

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149

ELECTROMAGNETISM

Eddy current losses and hot-spot evaluation in cover plates of power transformers p435
Eddy-current losses of surface-mounted permanent-magnet motors p61
General method of magnetising flux saturation modelling in d-q axis models of double-cage induction machines p101
Modelling and identification of iron losses in nonoriented steel laminations using Preisach theory p227
Simple computational model for calculating the unbalanced magnetic pull on a two-pole turbogenerator rotor due to eccentricity p263

ELECTRIC VARIABLES CONTROL

Analysis and design of a flyback zero-current switched quasiresonant AC/DC converter p401
Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
High-frequency switching-mode power amplifier for shaker armature excitation p415
High performance control of the series-parallel resonant converter p131
LQ control of sinusoidal current PWM rectifiers p95
Modelling and design of a reversible three-phase switching mode rectifier p389
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

FEEDBACK

H^∞ control for a sensorless permanent-magnet synchronous drive p173
High-frequency switching-mode power amplifier for shaker armature excitation p415

FILTERS AND FILTERING

Effect of minor harmonics on the performance of resonant harmonic filters in distribution systems p349
Harmonic worst-case identification and filter optimal design of MRT systems using genetic algorithms p372
Optimised input filter design and low-loss switching techniques for a practical matrix converter p53

FUZZY CONTROL

Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37

GENERATORS

Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analytical solution to harmonic characteristics of traction PWM converters p158
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Eddy-current losses of surface-mounted permanent-magnet motors p61
Effect of skew, pole count and slot count on brushless motor radial force, cogging torque and back EMF p325
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Generalised theory of the brushless doubly-fed machine. 2. Model verification and performance p123
Generalised theory of the brushless doubly-fed machine. I. Analysis p111
Modelling and identification of iron losses in nonoriented steel laminations using Preisach theory p227
Modelling and simulation of the Torus generator p446
Reduction of cogging force in slotless linear permanent magnet motors p277
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469
Simple computational model for calculating the unbalanced magnetic pull on a two-pole turbogenerator rotor due to eccentricity p263
Stator resistance voltage-drop compensation for open-loop AC drives p21

INDUCTION MOTORS

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149
Effects of flux level on a CSI-fed field-oriented induction motor p295
Electrical stresses applied to stator insulation in low-voltage induction motors fed by PWM drives p191
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
General method of magnetising flux saturation modelling in d-q axis models of double-cage induction machines p101
Heating in deep-bar rotor cages p271
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
Modelling of the coolant flow with heat flow controlled temperature sources in thermal networks [in induction motors] p338
Regenerative- and plug-braking operations of inverter-fed asynchronous motors p453
State-space modelling and eigenvalue analysis of the slip energy recovery drive p27

INSULATED GATE FIELD EFFECT TRANSISTORS

Losses in PWM converters using IGBTs: on the effect of bus-clamping on the distortion of the AC-side currents p169
Single-phase matrix converter p235
Single-phase step-up/down rectifier with improved supply current waveform p6
Switching loss minimised space vector PWM method for IGBT three-level inverter p182

INSULATORS AND INSULATION

Electrical stresses applied to stator insulation in low-voltage induction motors fed by PWM drives p191

INTERFERENCE SUPPRESSION

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149

MAGNETIC MATERIALS AND DEVICES

Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149
Field evaluation for electromagnetic torque components p85

MATHEMATICAL TECHNIQUES

Analytical solution to harmonic characteristics of traction PWM converters p158
Harmonic worst-case identification and filter optimal design of MRT systems using genetic algorithms p372
High power GTO thyristor chopper applications with passive snubber energy recovery p381
Minimising rotor losses in high-speed high-power permanent magnet synchronous generators with rectifier load p331
Modelling and identification of iron losses in nonoriented steel laminations using Preisach theory p227
Modelling and numerical solution of multibranched DC rail traction power systems [comment and reply] p74
Optimal traffic control at railway junctions p140
Optimised input filter design and low-loss switching techniques for a practical matrix converter p53
Optimising train movements through coast control using genetic algorithms p65
Time-domain modelling of power transformers using modal analysis p77

MULTIVARIABLE CONTROL SYSTEMS

Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
LQ control of sinusoidal current PWM rectifiers p95
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317

NONELECTRIC VARIABLES CONTROL

Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
H^∞ control for a sensorless permanent-magnet synchronous drive p173
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469

NONLINEAR CONTROL SYSTEMS

Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469

NUMERICAL ANALYSIS

Minimising rotor losses in high-speed high-power permanent magnet synchronous generators with rectifier load p331
Modelling and identification of iron losses in nonoriented steel laminations using Preisach theory p227
Modelling and numerical solution of multibranched DC rail traction power systems [comment and reply] p74
State-space modelling and eigenvalue analysis of the slip energy recovery drive p27

OPTIMAL CONTROL

H^∞ control for a sensorless permanent-magnet synchronous drive p173
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
LQ control of sinusoidal current PWM rectifiers p95
Optimal traffic control at railway junctions p140
Optimising train movements through coast control using genetic algorithms p65
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

PARAMETER ESTIMATION

Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
Harmonic worst-case identification and filter optimal design of MRT systems using genetic algorithms p372
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285

POWER ELECTRONICS

Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Economic UPS structure with phase-controlled battery charger and input-power-factor improvement p221
High performance control of the series-parallel resonant converter p131
High power GTO thyristor chopper applications with passive snubber energy recovery p381
LQ control of sinusoidal current PWM rectifiers p95
Novel 18-step diode rectifier circuit with nonisolated phase shifting transformers p1
Optimised input filter design and low-loss switching techniques for a practical matrix converter p53
Single-phase matrix converter p235
Single-phase step-up/down rectifier with improved supply current waveform p6
Switching loss minimised space vector PWM method for IGBT three-level inverter p182
Three-phase AC/single-phase AC converters with resonant circuits for high operating frequencies p207

POWER ENGINEERING COMPUTING

Analysis and design of a three-level PWM converter system for railway-traction applications p357
Computer-optimised smooth-torque current waveforms for switched-reluctance motors p310
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285
Modelling and simulation of the Torus generator p446
Time-domain modelling of power transformers using modal analysis p77

POWER SYSTEM CONTROL

Analysis and design of a flyback zero-current switched quasiresonant AC/DC converter p401
Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analysis of the single-phase four-quadrant PWM converter resulting in steady-state and small-signal dynamic models p241
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Effects of flux level on a CSI-fed field-oriented induction motor p295
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
H^∞ control for a sensorless permanent-magnet synchronous drive p173

High-frequency switching-mode power amplifier for shaker armature excitation p415
High performance control of the series-parallel resonant converter p131
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
LQ control of sinusoidal current PWM rectifiers p95
Modelling and design of a reversible three-phase switching mode rectifier p389
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

POWER SYSTEM MANAGEMENT

Novel four-bridge PWM static VAr compensator p249
Open-loop VAr compensator for industrial applications, using a single PWM pattern p257
Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
Zero-voltage-switching three-phase single-stage power factor correction convertor p343

POWER SYSTEM PROTECTION

Influence of earth connection on the operation of railway track circuits p215
Phase co-ordinate approach to calculate earth-fault current and shock voltage p441

POWER SYSTEMS AND APPLICATIONS

Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149
Analytical solution to harmonic characteristics of traction PWM converters p158
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Effects of flux level on a CSI-fed field-oriented induction motor p295
Electrical stresses applied to stator insulation in low-voltage induction motors fed by PWM drives p191
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
H$^\infty$ control for a sensorless permanent-magnet synchronous drive p173
Harmonic worst-case identification and filter optimal design of MRT systems using genetic algorithms p372
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
Influence of earth connection on the operation of railway track circuits p215
Modelling and numerical solution of multibranched DC rail traction power systems [comment and reply] p74
Optimising train movements through coast control using genetic algorithms p65
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Stator resistance voltage-drop compensation for open-loop AC drives p21

POWER SYSTEMS AND PLANTS

Analysis and design of a three-level PWM converter system for railway-traction applications p357
Analysis and simulation of a high-speed two-phase AC drive for aerospace applications p149
Analytical solution to harmonic characteristics of traction PWM converters p158
Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Effect of minor harmonics on the performance of resonant harmonic filters in distribution systems p349
Effects of flux level on a CSI-fed field-oriented induction motor p295
Electrical stresses applied to stator insulation in low-voltage induction motors fed by PWM drives p191
Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
H$^\infty$ control for a sensorless permanent-magnet synchronous drive p173
Harmonic worst-case identification and filter optimal design of MRT systems using genetic algorithms p372
Indirect field-oriented induction motor drive with fuzzy detuning correction and efficiency optimisation controls p37
Influence of earth connection on the operation of railway track circuits p215
Modelling and numerical solution of multibranched DC rail traction power systems [comment and reply] p74
Optimising train movements through coast control using genetic algorithms p65
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Stator resistance voltage-drop compensation for open-loop AC drives p21

POWER TRANSMISSION AND DISTRIBUTION

Effect of minor harmonics on the performance of resonant harmonic filters in distribution systems p349
Influence of earth connection on the operation of railway track circuits p215

PREDICTIVE CONTROL

Simplified predictive instantaneous current control for single-phase and three-phase voltage-fed PFC converters p46
True average current predictive controller for four-wire PWM reversible rectifiers p397

PRODUCTION ENGINEERING

Eddy current losses and hot-spot evaluation in cover plates of power transformers p435

SELF-ADJUSTING SYSTEMS

Driving circuit for ultrasonic motor servo drive with variable-structure adaptive model-following control p199
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469

SEMICONDUCTOR DEVICES AND MATERIALS

Losses in PWM converters using IGBTs: on the effect of bus-clamping on the distortion of the AC-side currents p169
Optimised input filter design and low-loss switching techniques for a practical matrix converter p53
Single-phase matrix converter p235
Single-phase step-up/down rectifier with improved supply current waveform p6
Switching loss minimised space vector PWM method for IGBT three-level inverter p182

SIGNAL PROCESSING

Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285

SIMULATION, MODELLING AND IDENTIFICATION

Estimation of speed and armature temperature in a brushed DC drive using the extended Kalman filter p13
Estimation of speed, stator temperature and rotor temperature in cage induction motor drive using the extended Kalman filter algorithm p301
High-frequency switching-mode power amplifier for shaker armature excitation p415
Improving the accuracy of the rotor resistance estimate for vector-controlled induction machines p285

STABILITY

H$^\infty$ control for a sensorless permanent-magnet synchronous drive p173
High-frequency switching-mode power amplifier for shaker armature excitation p415
LQ control of sinusoidal current PWM rectifiers p95
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Robust speed control of brushless DC motor using adaptive input-output linearisation technique p469
Stator resistance voltage-drop compensation for open-loop AC drives p21
Synchronisation problem of high performance reluctance motors p456

SYNCHRONOUS MACHINES

Computer-optimised smooth-torque current waveforms for switched-reluctance motors p310
Field evaluation for electromagnetic torque components p85
H$^\infty$ control for a sensorless permanent-magnet synchronous drive p173
Minimising rotor losses in high-speed high-power permanent magnet synchronous generators with rectifier load p331
Performance characteristics of dual-winding reluctance generators p461
Robust PM synchronous motor servo drive with variable-structure model-output-following control p317
Synchronisation problem of high performance reluctance motors p456

TRANSFORMERS

Eddy current losses and hot-spot evaluation in cover plates of power transformers p435
Novel 18-step diode rectifier circuit with nonisolated phase shifting transformers p1
Time-domain modelling of power transformers using modal analysis p77